



ALL GLOVES PROVIDE A MINIMUM ANSI CUT 4, EN388 PUNCTURE 2 STANDARD, OR BETTER, WHEN USED AS SPECIFIED  
CALL US AT: 800.356.1137

GENERAL PURPOSE/LINER

## General Purpose

### General Purpose Knit / Nitrile K2



GENERAL

- Kevlar® blend cut-resistant fiber
- Nitrile foam palm coating
- No coating on back of hand
- 13-gauge knit shell

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	S13KFGFNT	S	PR	4/5	3/2
00000	S13KFGFNT	M	PR	4/5	3/2
00000	S13KFGFNT	L	PR	4/5	3/2
00000	S13KFGFNT	XL	PR	4/5	3/2
00000	S13KFGFNT	2XL	PR	4/5	3/2

### Grinding General Purpose Leather L2



GENERAL

GRIND

- Goatskin grain leather driver
- Full Kevlar® blend cut-resistant 13 gauge liner sewn in
- No liner required
- More flexible

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	378GKTFG	S	PR	4/NR	3/NR
00000	378GKTFG	M	PR	4/NR	3/NR
00000	378GKTFG	L	PR	4/NR	3/NR
00000	378GKTFG	XL	PR	4/NR	3/NR
00000	378GKTFG	2XL	PR	4/NR	3/NR

### L3



GENERAL

GRIND

- Goatskin grain leather driver
- Engineered fiber cut-resistant 10 gauge liner sewn in
- No liner required

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	TTP203	S	PR	4/5	NR/2
00000	TTP203	M	PR	4/5	NR/2
00000	TTP203	L	PR	4/5	NR/2
00000	TTP203	XL	PR	4/5	NR/2
00000	TTP203	2XL	PR	4/5	NR/2

## Liner

### Liners Knit KL7



- Engineered cut-resistant fiber
- 13-gauge knit shell
- For use as a liner with outer gloves

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	S13KF	S	PR	4/NR	NR/NR
00000	S13KF	M	PR	4/NR	NR/NR
00000	S13KF	L	PR	4/NR	NR/NR
00000	S13KF	XL	PR	4/NR	NR/NR

### KL8



- Kevlar® cut-resistant fiber
- 7-gauge knit shell
- For use as liner with outer gloves

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	3070	S	PR	3/NR	NR/NR
00000	3070	M	PR	3/NR	NR/NR
00000	3070	L	PR	3/NR	NR/NR
00000	3070	XL	PR	3/NR	NR/NR
00000	3070	2XL	PR	3/NR	NR/NR



ALL GLOVES PROVIDE A MINIMUM ANSI CUT 4, EN388 PUNCTURE 2 STANDARD, OR BETTER, WHEN USED AS SPECIFIED  
CALL US AT: 800.356.1137

## Impact Resistant

### Impact Resistant Knit / Nitrile K4



#### IMPACT

- Kevlar® cut-resistant fiber
- Red Sandy Nitrile Coating
- Thermoplastic rubber fingers and back of hand
- 13-gauge knit shell

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	7739	S	PR	4/5	NR/4
00000	7739	M	PR	4/5	NR/4
00000	7739	L	PR	4/5	NR/4
00000	7739	XL	PR	4/5	NR/4

### K5



#### IMPACT

- Kevlar® blend cut-resistant fiber
- Nitrile foam palm coating
- Thermoplastic rubber back of hand impact protection
- 13-gauge knit shell

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	SKFGFNVB	S	PR	4/5	3/2
00000	SKFGFNVB	M	PR	4/5	3/2
00000	SKFGFNVB	L	PR	4/5	3/2
00000	SKFGFNVB	XL	PR	4/5	3/2
00000	SKFGFNVB	2XL	PR	4/5	3/2

### Impact Resistant Leather

### L4



#### IMPACT

- Goatskin grain leather driver
- Kevlar® blend cut-resistant 13 gauge liner sewn in
- Thermoplastic rubber back of hand impact protection
- Vibration dampening padded palm
- No liner required

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	378GKGVB	S	PR	4/4	4/3
00000	378GKGVB	M	PR	4/4	4/3
00000	378GKGVB	L	PR	4/4	4/3
00000	378GKGVB	XL	PR	4/4	4/3
00000	378GKGVB	2XL	PR	4/4	4/3

## SPECIALTY

### Electrical Glove Kit

### E1 - E4



#### ELECTRIC

- Rated & Tested voltage glove
  - Matched leather protector
  - Vented storage bag
  - Liner included
- \* Glove combination is not puncture rated; The electrical safety standard dictates that the glove be worn with a corresponding leather protector. The leather protector alone has a puncture rating of 1. The combination has not been puncture tested and is not possible to substitute an alternative leather glove.

CPN	Model #	SIZE	UM	CR A/E	PR A/E	REF #
0000000000	150-SK-00/SIZE- -KIT	7-12	EA	4/NR	NA/NR	E1
0000000000	150-SK-0/SIZE- KIT	7-12	EA	4/NR	NA/NR	E2
0000000000	150-SK-1/SIZE- KIT	7-11	EA	4/NR	NA/NR	E3
0000000000	150-SK-2/SIZE- KIT	7-11	EA	4/NR	NA/NR	E4

### Vibration Dampening

### V1



#### VIBRATION

- Unique chloroprene rubber palm pad
- 7-gauge knit shell
- Pre-curved design provides comfort, dexterity and flexibility
- Liner required to meet cut standard - Use KL7 or KL8

CPN	Model #	SIZE	UM	CR A/E	PR A/E
3510001012	9000	M	PR	NR/NR	NR/3
3510001001	9000	L	PR	NR/NR	NR/3
3510001002	9000	XL	PR	NR/NR	NR/3

IMPACT RESISTANT/SPECIALTY



ALL GLOVES PROVIDE A MINIMUM ANSI CUT 4, EN388 PUNCTURE 2 STANDARD, OR BETTER, WHEN USED AS SPECIFIED  
CALL US AT: 800.356.1137

## Winter Rated

### Winter Rated Knit / Nitrile

K3



GENERAL WINTER

- Kevlar® blend cut-resistant fiber
- Crinkle grip PVC palm coating
- 13-gauge knit shell
- Lined in acrylic terry to keep hands warm

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	SCXTAPVC	M	PR	4/5	2/2
00000	SCXTAPVC	L	PR	4/5	2/2
00000	SCXTAPVC	XL	PR	4/5	2/2
00000	SCXTAPVC	2XL	PR	4/5	2/2

### Winter Rated Knit / Nitrile / Impact

K6



GENERAL IMPACT WINTER

- Kevlar® blend cut-resistant fiber
- Nitrile foam palm coating
- Thermoplastic rubber back of hand impact protection
- 13-gauge knit shell
- Winter lining

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	SBKFGFNVB	S	PR	4/NR	3/NR
00000	SBKFGFNVB	M	PR	4/NR	3/NR
00000	SBKFGFNVB	L	PR	4/NR	3/NR
00000	SBKFGFNVB	XL	PR	4/NR	3/NR

### Winter Rated Knit / PVC

K11



GENERAL WINTER

- Engineered yarns
- Foam PVC coating
- 15 gauge outer knit shell
- Heavy thermal lining

CPN	Model #	SIZE	UM	CR A/E	PR A/E
0000000000	NFD11HD	S	PR	4/5	NR/2
0000000000	NFD11HD	M	PR	4/5	NR/2
0000000000	NFD11HD	L	PR	4/5	NR/2
0000000000	NFD11HD	XL	PR	4/5	NR/2
0000000000	NFD11HD	2XL	PR	4/5	NR/2

### Winter Rated Leather Driver

L5



GENERAL GRIND WINTER

- Goatskin leather driver
- Full Kevlar® blend cut-resistant fiber
- 13-gauge liner
- Thinsulate lined
- No liner required

CPN	Model #	SIZE	UM	CR A/E	PR A/E
0000000000	378GKGTL	S	PR	4/NR	3/NR
0000000000	378GKGTL	M	PR	4/NR	3/NR
0000000000	378GKGTL	L	PR	4/NR	3/NR
0000000000	378GKGTL	XL	PR	4/NR	3/NR
0000000000	378GKGTL	2XL	PR	4/NR	3/NR

WINTER RATED



ALL GLOVES PROVIDE A MINIMUM ANSI CUT 4, EN388 PUNCTURE 2 STANDARD, OR BETTER, WHEN USED AS SPECIFIED  
CALL US AT: 800.356.1137

## Welding

### Welding Tig

#### WT1



WELDING

- Goatskin drivers glove
- Engineered fiber cut-resistant lining
- Gauntlet cuff
- No liner required

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	399GKGL5	S	PR	4/NR	4/NR
00000	399GKGL5	M	PR	4/NR	4/NR
00000	399GKGL5	L	PR	4/NR	4/NR
00000	399GKGL5	XL	PR	4/NR	4/NR
00000	399GKGL5	2XL	PR	4/NR	4/NR
00000	399GKGL5	3XL	PR	4/NR	4/NR

### Welding Stick

#### WS8



WELDING

- Select shoulder split cowhide
- Full cotton lining
- Foam insulated back
- Kevlar sewn
- Liner required to meet cut standard  
- Use KL7 or KL8

CPN	Model #	SIZE	UM	CR A/E	PR A/E
3510000008	2119Y	S	PR	NR/NR	3/NR
3510000040	2119Y	M	PR	NR/NR	3/NR
3510000007	2119Y	L	PR	NR/NR	3/NR
3510000080	2119Y	XL	PR	NR/NR	3/NR
3510020523	2119Y	2XL	PR	NR/NR	3/NR
0000000000	2119Y	3XL	PR	NR/NR	3/NR

## Wet Work PVC

### WC2



WET

- Double Dip PVC coated
- Rough Finish
- Gauntlet cuff
- Liner required to meet cut standard  
- Use KL7 or KL8

CPN	Model #	SIZE	UM	CR A/E	PR A/E
00000	FB230	L	PR	NR/NR	NR/2

WELDING/WET